


www.midacbatteries.com



MOTORBIKE BATTERIES





MODELLO - TYPE	Din Type	Ah 10h	A CCA	DIMENSIONI - DIMENSIONS MAX. mm	POLARITÀ POLARITY	LAYOUT
				LxPxH		

ERMETICHE CARICHE SECCHE (con flaconcini acido a corredo) - SEALED DRY CHARGED (with bottles of acid)

MTX4L-BS	50314E	4	40	113x70x85	DX	[-][][][][][]+
MTX5L-BS	50412E	4	55	113x70x105	DX	[-][][][][][]+
MTZ7S-BS	50702E	6	70	113x70x105	DX	[-][][][][][]+
MT7B-BS	50701E	6	85	150x65x93	SX	[+][][][][][]-
MTX7L-BS	50614E	6	75	113x70x130	DX	[-][][][][][]+
MTX7A-BS	50615E	6	85	150x87x93	SX	[+][][][][][]-
MT9B-BS	50902E	8	100	150x69x105	SX	[+][][][][][]-
MTZ10S-BS	51015E	8,5	130	150x87x93	SX	[+][][][][][]-
MTX9-BS	50812E	8	90	150x87x105	SX	[+][][][][][]-
MTZ12S-BS	50901E	11	140	150x87x110	SX	[+][][][][][]-
MT12A-BS	51101E	9,5	80	150x87x105	SX	[+][][][][][]-
MT12B-BS	51201E	10	115	150x69x130	SX	[+][][][][][]-
MTX12-BS	51012E	11	140	150x87x130	SX	[+][][][][][]-
MTZ14S-BS	51401E	12	140	150x87x110	SX	[+][][][][][]-
MTX14-BS	51214E	12	180	150x87x145	SX	[+][][][][][]-
MTX16-BS	51601E	14	200	150x87x161	SX	[+][][][][][]-
MTX20L-BS	51801E	18	210	175x87x155	DX	[-][][][][][]+
MTX20HL-BS	51802E	18	250	175x87x155	DX	[-][][][][][]+
MIX30L-BS	53000E	28	280	166x126x177	DX	[-][][][][][]+



MODELLO - TYPE	Din Type	Ah 10h	A CCA	DIMENSIONI - DIMENSIONS MAX. mm	POLARITÀ POLARITY	LAYOUT
				LxPxH		

CARICHE SECCHЕ (con bottiglia acido in dotazione) - DRY CHARGED (with electrolyte supplied in a bottle)

MB4L-B	50411	4	50	120x70x92	DX	[- _ _ _ _ +]
MB5L-B	50512	5	55	120x60x130	DX	[- _ _ _ _ +]
MB7-A	50813	8	90	135x75x133	SX	[+ _ _ _ _ -]
MB7L-B	50712	8	90	135x75x133	DX	[- _ _ _ _ +]
MB9-B	50914	9	130	135x75x139	SX	[+ _ _ _ _ -]
MB10L-A2	51112	11	160	135x90x145	DX	[+ _ _ _ _ -]
MB10L-B	51113	11	160	135x90x145	DX	[- _ _ _ _ +]
MB12A-A	51211	12	165	134x80x160	SX	[+ _ _ _ _ -]
MB12AL-A	51213	12	165	134x80x160	DX	[+ _ _ _ _ -]
MB14-A2	51412	14	190	134x89x166	SX	[+ _ _ _ _ -]
MB14L-A2	51411	14	190	134x89x166	DX	[+ _ _ _ _ -]
MB14L-B2	51413	14	190	134x89x166	DX	[- _ _ _ _ +]
MB16AL-A2	51616	16	175	205x70x162	DX	[+ _ _ _ _ -]
MB16B-A	51615	16	175	160x90x160	SX	[+ _ _ _ _ -]

CARICHE SECCHЕ - DRY CHARGED

MB16-B	51912	19	240	175x100x155	SX	[+ _ _ _ _ -]
M12N20AH	51814	20	150	186x82x171	DX	[- _ _ _ _ +]
M50-N18L-A	52012	20	260	205x90x162	DX	[+ _ _ _ _ -]
M60-N24L-A	52515	25	180	187x130x170	DX	[- _ _ _ _ +]
M60-N30L-A	53030	30	300	187x130x170	DX	[- _ _ _ _ +]



MIDAC S.p.A.

VIA A.VOLTA, 2 - Z.I. - 37038 SOAVE (VERONA) - ITALIA
TEL. +39 045 61 32 1 32 - FAX +39 045 61 32 1 33
E-mail: midac@midacbatteries.com

MIDAC TECHNOLOGIES S.p.A.

STRADA DEL FRANCESE, 80 - 10156 TORINO - ITALIA
TEL. +39 011 4502277 - FAX +39 011 4508950
E-mail: info@midactechnologies.com

MIDAC DEUTSCHLAND GMBH

INDUSTRIEGEBIET OBERE SURBACH - HEIDESTRASSE, 5 - 35625 RECHTENBACH - DEUTSCHLAND
TEL. +49 6441 679260 - FAX +49 6441 6792615
E-mail: vertrieb@midacbatteries.com

MIDAC FRANCE S.A.R.L.

Z.I. - ROUTE DE COLMAR BP 9070 68502 GUEBWILLER CEDEX - FRANCE
TEL. +33 03 89 622380 - FAX +33 03 89 622375
E-mail: contact@midacbatteries.com

MIDAC NEDERLAND BV

KEPLERLAAN 10 - 6716BS EDE - NEDERLAND
TEL. +31 318 678230 - FAX +31 318 678231
E-mail: verkoop@midacbatteries.com

www.midacbatteries.com



MIDAC SPA HEADQUARTER, SOAVE, VERONA, ITALY

Unica realtà a produrre batterie avviamento, trazione e stazionarie in un singolo stabilimento produttivo, in vent'anni è diventata una delle aziende leader in Europa con prodotti distribuiti in tutto il mondo.

The only company that produces Automotive, Motive power and Stationary batteries in the same manufacturing plant, in less than twenty years it has become one of the leading companies in Europe and its products are sold worldwide.

MIDAC'S MANAGEMENT SYSTEM IS CERTIFIED ACCORDING TO
ISO 9001:2008, ISO/TS 16949:2009, ISO 14001:2004, BS OHSAS 18001:2007, SA 8000:2008

